

# NEW RENAULT MASTER



(Enter Renault's world at Sky Guide 883 and [www.renault.tv](http://www.renault.tv))

CHARTERHOUSE APRIL 2010 . PART NUMBER 7701 380 725  
Renault U.K. Limited Customer Services, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire WD3 9YS. Tel: 0800 52 51 50.

# NEW RENAULT MASTER



Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, equipment, specifications or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Renault dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. Publication date April 2010.

**DRIVE THE CHANGE**



# THE NEW MASTER: PRACTICAL, STRONG, ECONOMICAL.



With its sturdy yet dynamic front end, the New Master embodies efficiency. With its large headlights, a new grille and a wide bumper maximising the protection of the bodywork, the New Master is modernity personified.

New Rear Wheel Drive versions take New Master up to 4.5t GVW, and Front Wheel Drive versions are available in 2.8t to 3.5t GVW. And with four body lengths and three heights, you can choose from more than 300 versions overall.\*



\*The complete line-up will be available at the end of 2010.




# FRONT WHEEL DRIVE AND REAR WHEEL DRIVE: SO MANY MORE POSSIBILITIES.

Strong and efficient, the New Master can adapt to the most demanding requirements. Need to carry heavy and bulky loads? No problem. The Rear Wheel Drive (RWD) version of the New Master ensures road handling designed to suit your professional needs.



To make your working day even easier and safer, the New Master boasts very high levels of active and passive safety, such as ABS brakes with EBD (Electronic Brake Distribution) and Brake Assist as standard. Adaptive ESP (Electronic Stability Programme) comes as standard on the RWD and optional on FWD\*, along with ASR traction control. Also standard are the driver's front airbag and a full steel bulkhead (separating you from your load in the event of sudden braking). The new, innovative fixed cornering lights option is exclusive in the market to New Master.

\*Not available at launch



## EQUIPMENT

### FREEWAY CORE FEATURES

- 16” steel wheels
- 2 x 15W single CD MP3 radio with aux point
- 6 speed gearbox
- ABS with EBD
- Airbag - driver only
- Alarm pre wiring
- Bulkhead - full steel
- Driver seat - height adjustable
- Floor anchorage points
- Fuel tank - 80 litres
- Hub caps
- “Kaleido” trim (dark grey)
- Manually operated door mirrors
- Manually operated windows
- Mechanical key
- Passenger bench seat
- Rear doors - 180° solid
- Side loading door - sliding left (unglazed)
- Side panel - right unglazed (no right door)
- Spare wheel
- Standard door mirror arms
- 3 years AA roadside assistance
- 3 year / 100k mile warranty (2 years unlimited mileage)

### STANDARD EQUIPMENT ON STANDARD LEVEL MASTER PANEL VAN

#### (IN ADDITION TO FREEWAY CORE FEATURES ABOVE)

- 2 x 20W single CD MP3 radio with Bluetooth® and aux point
- Carminat TomTom navigation system (UK map)
- Deadlocking
- Driver’s armrest
- Electric windows
- Electrically operated and heated door mirrors
- Pivoting seatback table (centre front passenger seat)
- R.A.I.D. (Renault Anti Intruder Device)
- Remote central locking - 2 button key
- Side marker lights (LWB or MWB + extended overhang only)
- Trip computer
- Wheel stylers – small

### IN ADDITION ON RWD VERSIONS ONLY:

- ESP (Electronic Stability Programme) - load adaptive with understeer control
- Rear step

### STANDARD EQUIPMENT ON CREW VAN

#### (IN ADDITION TO STANDARD LEVEL PANEL VAN FEATURES ABOVE)

- Integral bulkhead with glazed panel
- Integrated storage nets and cup holders
- Second row bench seat (4 places) with individual seatbelts
- Side loading door - sliding left (glazed)
- Side loading door - sliding right (glazed)

### IN ADDITION ON RWD VERSIONS ONLY:

- ESP (Electronic Stability Programme) - load adaptive with understeer control
- Rear step

## OPTIONS

Freeway Van	Panel Van				Crew Van	
	MWB	MWB	RWD	LWB	MWB	
	Medium Roof					
	FWD	FWD	RWD	FWD	RWD	RWD
12V power point in load area	-	○	○	○	○	○
16" alloy wheels	-	○	-	○	-	○
2 x 20W single CD MP3 radio with Bluetooth® and multi-functional TunePoint	-	○	○	○	○	○
3 button key	-	○	○	○	○	○
Additional (third) key	-	○	○	○	○	○
Air conditioning with pollen filter <sup>(2)</sup>	-	○	○	○	○	○
Air suspension <sup>(1)</sup>	-	○	-	○	-	○
Airbag - front passenger <sup>(8) (9)</sup>	○	○	○	○	○	-
Airbag - front passenger, front lateral curtain (driver and passenger) and single passenger seat (height adjustable) with lumbar adjustment <sup>(8) (9)</sup>	-	○	○	○	○	-
Airbag - front passenger, front lateral curtain (driver and passenger) and single passenger seat (height adjustable) <sup>(8) (9)</sup>	-	○	○	○	○	-
Automatic headlights and wipers and front fog lights	-	○	○	○	○	○
Automatic headlights and wipers and Style Pack	-	○	-	○	-	○
Bulkhead - full steel with glazing	-	○	○	○	○	-
Carminat TomTom map upgrade - Europe	-	○	○	○	○	○
Climate control with pollen filter, automatic headlights and wipers and front fog lights <sup>(2)</sup>	-	○	○	○	○	○
Climate control with pollen filter, automatic headlights and wipers and Style Pack <sup>(2)</sup>	-	○	-	○	-	○
Clipboard holder (for A5 or bigger note block) <sup>(9)</sup>	-	○	○	○	○	-
Conversion interface box	○	○	○	○	○	○
Cornering lights	-	-	○	-	-	-
Cornering lights and ESP (Electronic Stability Programme) - load adaptive with understeer control <sup>(1)</sup>	-	○	-	○	-	-
Cruise control	-	○	○	○	○	○
Dashboard storage compartment lid	-	○	○	○	○	○
Digital tachograph <sup>(4)</sup>	○	○	○	○	○	○
Driver's seat with lumbar adjustment	-	○	○	○	○	○
Driver's seat - fully adjustable suspension type	-	○	○	○	○	○
Dual split underseat storage compartment <sup>(5)</sup>	-	○	○	○	○	○
Electric window with 'one touch' (driver's side only)	-	○	○	○	○	○
Engine speed limiter 56mph	○	○	○	○	○	○
Engine speed limiter 56mph (to meet legal requirement) <sup>(4)</sup>	○	○	○	○	○	○
Engine speed limiter 62mph	○	○	○	○	○	○
Engine speed limiter 62mph (to meet legal requirement)	○	○	○	○	○	○
Engine speed limiter 68mph	○	○	○	○	○	○
ESP (Electronic Stability Programme) - load adaptive with understeer control <sup>(1)</sup>	○	○	●	○	●	○
Floor - ply lined with resin coating	-	○	○	○	○	○
Front fog lights	-	○	○	○	○	○
Fuel tank - 105 litres	-	○	○	○	○	○
Hands free key - 2 button	-	○	○	○	○	○
Increased idle speed <sup>(7)</sup>	○	○	○	○	○	○
Locking differential	-	-	○	-	○	-
Metallic paint	-	○	○	○	○	○
Mudflaps (front and rear)	○	○	○	○	○	○
Ply lined full height side panels and floor - ply lined with resin coating	-	○	○	○	○	○
Ply side panels (half height)	○	○	○	○	○	○
Pollen filter	-	○	○	○	○	○
Power take off - engine <sup>(6)</sup>	○	○	○	○	○	○
Power take off - gearbox <sup>(7)</sup>	○	-	○	-	○	-
Rear doors - 180° glazed	-	○	○	○	○	○
Rear doors - 180° glazed and heated rear window	-	○	○	○	○	○
Rear doors - 270° glazed	-	○	○	○	○	○
Rear doors - 270° glazed and heated rear window	-	○	○	○	○	○
Rear doors - 270° solid	-	○	○	○	○	○
Rear parking sensors	-	○	○	○	○	○
Rear step	-	○	●	○	●	○
Side marker lights	○	○	●	●	●	○
Side anchorage points	○	○	○	○	○	○
Side loading door - sliding right (unglazed)	-	○	○	○	○	-
Side loading doors - sliding left and right (glazed with opening windows)	-	○	○	○	○	-
Side loading doors - sliding left and right (glazed with opening windows)	-	-	-	-	-	-
Side loading doors - sliding left and right (glazed)	-	○	-	○	-	○
Side loading doors - sliding left and right (glazed)	-	○	○	○	○	●
Single passenger seat (height adjustable) with lumbar adjustment	-	○	○	○	○	○
Single passenger seat (height adjustable)	-	○	○	○	○	○
Smoker Pack	○	○	○	○	○	○
Storage compartment in door with integrated lights (both sides)	-	○	○	○	○	○
Sunglasses holder	-	○	○	○	○	○
Tow bar	-	○	○	○	○	○
Wheel stylers - large	-	○	○	○	○	○
<b>OPTION PACKS</b>						
Convenience Plus Pack	-	○	○	○	○	○
Glazing Pack	-	○	○	○	○	-
Loading pack	-	○	○	○	○	-
Style Pack	-	○	-	○	-	○

- CONSTRAINTS AND IMPLICATIONS**
- 1 - Option (FWD) not available at launch
  - 2 - Cannot be ordered without a full bulkhead
  - 3 - Cannot be ordered with passenger airbag and / or front row curtain airbags
  - 4 - Standard on 4.5T versions
  - 5 - Cannot be ordered with side curtain airbags
  - 6 - Cannot be ordered with aircon / climate control on FWD

- 7 - Increased idle speed and gearbox power take off cannot be ordered together (RWD)
- 8 - Cannot be ordered with clipboard holder (for A5 or bigger note block)
- 9 - Cannot be ordered with glazed bulkhead and glazed rear doors (simultaneously) if vehicle less than 4.5T GVW

● = Standard ○ = Optional - = Not available

## OPTION PACK CONTENTS

### Convenience Plus Pack

- Air conditioning with pollen filter
- Electric window with 'one touch' (driver's side only)
- Parking sensor

### Loading Pack

- Side loading door - sliding right (unglazed)
- 3 button key
- Rear doors - 270° solid
- Additional (third) key
- Floor - ply lined with resin coating

### Style Pack (FWD only)

- 16" alloy wheels
- Front fog lights

### Glazing Pack

- Side loading door - sliding left (glazed)
- Side panel - right glazed (no right door)
- Rear doors - 180° glazed and heated rear window
- Fixed side windows (rear side panel)

## COLOURS

389 GLACIER WHITE (NM)	719 CARMEN RED (NM)	031 ORANGE (NM)	423 CARIBBEAN BLUE (NM)	RNQ PERSIAN BLUE (NM)	D90 SOLENT GREEN (NM)	396 LEMON YELLOW (MP)	489 ATLANTIC BLUE (MP)	KNH STAR GREY (MI)	J47 TEMPEST (MI)
GLACIER WHITE	CARMEN RED	ORANGE	CARIBBEAN BLUE	PERSIAN BLUE	SOLENT GREEN	LEMON YELLOW	ATLANTIC BLUE	STAR GREY	TEMPEST
389 (NM)	719 (NM)	031 (NM)	423 (NM)	RNQ (NM)	D90 (NM)	396 (MP)	489 (MP)	KNH (MI)	J47 (MI)

● = Standard ○ = Optional

NM = Non-metallic Supergloss MP = Metallic Pearlescent MI = Metallic Illusion

It should be noted that printing limitations do not permit these subtle paintwork shades to be shown with absolute accuracy. Only personal inspection of the New Master at your local Renault Dealer will reveal it in its true colours. From time to time changes are made to the colour range. Please check availability with your local Renault Dealer.

## WHEELS




MINI WHEEL STYLERS  
Standard on Freeway

SMALL WHEEL STYLERS  
Available as standard  
except on Freeway

LARGE WHEEL STYLERS  
Optional

16" ALLOY WHEELS  
Optional (FWD version)

## UPHOLSTERY



"KALEIDO" TRIM (DARK GREY)  
Available on Freeway  
and Standard level

"FUNAI" TRIM  
Optional

# RENAULT PRO+, THE ONE-STOP SHOP FOR BUSINESS CUSTOMERS

Renault has developed Renault Pro+ to enhance the services offered to business customers. From helping you choose the most appropriate vehicles and then supporting your business throughout their lifetime, your Renault Pro+ centre has put in place all the personalised services and technical expertise that you will ever need.




## TECHNICAL SPECIFICATIONS (VERSIONS AVAILABLE AT LAUNCH)

	6 Speed Manual Gearbox Euro 4			6 Speed Manual Gearbox Euro 5		
	100 hp	125 hp	150 hp	100 hp	125 hp	150 hp
Engine	FWD	FWD	FWD	FWD	FWD	FWD / RWD
Wheel drive	Euro 4	Euro 4	Euro 5	Euro 5	Euro 5	Euro 5
Depollution level	No	No	Yes	Yes	Yes	Yes
Diesel particle filter (FAP)	(cm <sup>3</sup> )	2,298	2,298	2,298	2,298	2,298
Engine capacity	Commonrail	Commonrail	Commonrail	Commonrail	Commonrail	Commonrail
Injection type	Fixed	Fixed	Fixed	Fixed	Variable	Variable
Turbo (fixed geometry / variable)	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel type	4	4	4	4	4	4
Number of cylinders	16	16	16	16	16	16
Number of valves	(KW (hp))	74 (100)	92 (125)	74 (100)	92 (125)	107 (145)
Max engine power	(rpm)	3500	3500	3500	3500	3500
Max engine power	(Nm)	285	310	285	310	350
Max engine torque	(rpm)	1250 - 2000	1250 - 2500	1250 - 2000	1250 - 2500	1500 - 2750
Max engine torque	(litres)	80 (105 optional)	80 (105 optional)	80 (105 optional)	80 (105 optional)	80 (105 optional)
Fuel tank capacity	<b>FWD Panel Vans</b>					
<b>FWD Panel Vans</b>	●	●	●	●	●	-
MM33	●	●	●	●	●	-
MM35	●	●	●	●	●	-
LM35	●	●	●	●	●	-
<b>RWD Panel Vans</b>	<b>RWD Panel Vans</b>					
<b>RWD Panel Vans</b>	-	-	-	-	-	●
MML35 TW	-	-	-	-	-	●
LML35 TW	-	-	-	-	-	●
<b>Crew Vans</b>	<b>Crew Vans</b>					
<b>Crew Vans</b>	-	-	●	●	-	-
FWD MM35	-	-	●	●	-	-
RWD MML 35	-	-	●	●	-	-
RWD MML 35 TW	-	-	-	-	-	●

● = Standard - = Not available

## DIMENSIONS



	Front Wheel Drive Panel Van			Rear Wheel Drive Panel Van	
	33	35	35	MML TW	LML TW
<b>DIMENSIONS*</b>	<b>MM</b>	<b>MM</b>	<b>MM</b>	<b>MM</b>	<b>MM</b>
Load volume	10.8	10.8	13	12.4	14.9
Gross vehicle weight (kg)	3300	3500	3500	3500	3500
A Wheelbase	3682	3682	4332	3682	4332
B Overall length	5548	5548	6198	6198	6848
C Front overhang	842	842	842	842	842
D Rear overhang	1024	1024	1024	1674	1674
F Rear track	1730	1730	1730	1612	1612
G Overall width	2070	2070	2070	2070	2070
H Overall width with standard rear view mirrors	2470	2470	2470	2470	2470
I Overall height	2495	2499	2488	2549	2557
J Loading sill height	Min : 545 Max : 558	Min : 548 Max : 562	Min : 543 Max : 557	Min : 706 Max : 724	Min : 701 Max : 717
K Ground clearance	Min : 174 Max : 181	Min : 178 Max : 185	Min : 172 Max : 181	Min : 181 Max : 191	Min : 167 Max : 178
L Door sill lower portion width (at 169 mm above floor)	1580	1580	1580	1580	1580
M Rear door sill height	1820	1820	1820	1724	1724
N Width between wheel arches	1380	1380	1380	1080	1080
O Cargo width	1765	1765	1765	1765	1765
P Sliding door sill width	1270	1270	1270	1270	1270
Q Sliding door sill height	1780	1780	1780	1684	1684
R Cargo area length on floor	3083	3083	3733	3733	4383
S Max headroom / loading height	1894	1894	1894	1798	1798
<b>WEIGHTS (kg)</b>					
Kerb weight	1885	1890	1970	2246	2324
Max weight on front axle	1650	1790	1790	1790	1790
Max weight on rear axle	1900	2100	2100	2300	2300
Gross train weight	5800	6000	6000	6500	6500
Maximum payload	1415	1610	1530	1254	1176
Unbraked trailer capacity	750	750	750	750	750
Braked trailer capacity	2500	2500	2500	3000	3000
<b>STEERING (m)</b>					
Turning circle between kerbs	13.6	13.6	15.7	13.6	15.7
Turning circle between walls	14.1	14.1	16.2	14.1	16.2

\*Unless otherwise specified, dimensions measurements are in mm